Attorney Docket No.: 10559-623001/P12874

4350 La Jolla Village Drive

Telephone 858 678-5070

Facsimile 858 678-5099

Web Site www.fr.com

Suite 500 San Diego, California 92122

Frederick P. Fish 1855-1930

W.K. Richardson 1859-1951

October 25, 2001

Box Patent Application

Commissioner for Patents Washington, DC 20231


Presented for filing is a new original patent application of:

Applicant: JESUS PALOMINO ECHARTEA AND GABRIEL MORENO

Title:

BUS FRAMER

Enclosed are the following papers, including those required to receive a filing date under 37 CFR §1.53(b):



Enclosures:

- Assignment cover sheet and an assignment, 3 pages, and a separate \$40 fee.
- Postcard.

Basic filing fee	\$740
Total claims in excess of 20 times \$18	\$180
Independent claims in excess of 3 times \$84	\$0
Fee for multiple dependent claims	\$0
Total filing fee:	\$920

CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Label No. <u>ET371085824US</u>

I hereby certify under that this correspondence is being deposited with the United States Postal Service as Express Mail Post Office to Addressee with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D.C. 20231.

Date of Deposit

Signature

Typed or Printed Name of Person Signing Certificate

BOSTON Į.į DALLAS DELAWARE NEW YORK SAN DIEGO SILICON VALLEY TWIN CITIES HINGTON, DC

...



Commissioner for Patents October 25, 2001 Page 2

A check for the filing fee is enclosed. Please apply any other required fees or any credits to deposit account 06-1050, referencing the attorney docket number shown above.

If this application is found to be incomplete, or if a telephone conference would otherwise be helpful, please call the undersigned at (858) 678-5070.

Kindly acknowledge receipt of this application by returning the enclosed postcard.

Please send all correspondence to:

SCOTT C. HARRIS Fish & Richardson P.C. 4350 La Jolla Village Drive, Suite 500 San Diego, CA 92122

Respectfully submitted,

Paul A. Pysher

Reg. No. 40,780

Enclosures

PAP/sri

20334728.doc